



Capitán™ Dianthus

Growers can expect smooth sailing with Capitán Dianthus!
A premium dianthus series with XL vigor that can be sold for a premium price
Novel bicolor double blooms make fantastic consumer cut flowers
Prized for its lovely fragrance
Durability through cold-chain shipping processes in retail settings

Striking rose and burgundy bicolor flowers make fantastic consumer cut flowers.


selecta one

Capitán™ Rose+Eye Dianthus


General & Information						
Height: 12 - 18" (30 - 46cm)	Spread: 14 - 18" (36 - 46cm)	Exposure: Partial Sun, Sun	Hardiness Zone: 7a - 10b			
Rooting Guidelines						
Recommended Cell Size (in millimeters): 25/35 mm	Rooting Hormone (IBA + NAA mix): recommended	Average Days with Mist: 14 to 21	Early PGR Treatment Recommended (after 7 - 10 days): (see note 1) optional	Average Propagation Weeks: 5 to 6	Pinch in Propagation: optional	Comments: Keep very moist for the first 7 days, then reduce mist to avoid saturated media.
Rooting & Finishing						
Media pH: (see note 2) 5.8-6.2	Fertilizer Needs: (see note 3) 100-150 ppm N EC 1.4-1.8		Watering: (see note 4) moderate			
Finishing Guidelines						
Temperature Needs Day/Night: (see note 5) 60-68°F/50-60°F 15-20°C/10-16°C	Pinch after Transplant (unpinched liners): yes	Light Levels in Foot Candles: 4,000 to 7,000	Plant Growth Regulators (PGR) (S) = spray / (D) = drench: Paclobutrazol spray at 1-3 ppm Chlormequat chloride spray at 750 ppm	Pests and Fungal Diseases: Mites, Fusarium	Comments: Remove early flower buds to promote branching. Cool temperatures and high light levels are ideal.	
Crop Time						
4- to 5-inch (10- to 13-cm) Pots, Quarts : 12 to 14 weeks (varies seasonally), 1 ppp		6-inch (15-cm) Pots, Gallons: 14 to 16 weeks (varies seasonally), 1 to 2 ppp		10- to 12-inch (25- to 30-cm) Tubs or Baskets: 18 to 20 weeks (varies seasonally), 3 to 5 ppp		
1. PGR applications during rooting: Sprays only. Cover the plants and avoid run-off as much as possible. For vigorous products, first application should be done about 7-10 days after sticking, second when needed. Please test before use.						
2. Media pH: Best results are achieved if media with the correct pH is used starting with propagation.						
3. Fertilizer needs: Start with low concentrations after roots show and increase with plant development to the recommended levels.						
4. Watering: In general avoid drying out or overwatering the substrate as this will affect plant quality and finishing time. Root system will suffer when conditions change from one extreme to the other. "Growing on the dry side" means letting the substrate become dry (substrate color turns light brown and substrate starts to separate from the pot edge) before watering.						
"Keep constantly moist" means watering the plants just before substrate becomes dry. Water management in rooting and finishing is half the success and the best way to prevent root-bound diseases, improve performance and control plant quality.						
5. Temperature needs day/night: During rooting keep soil temperature measured in the liner at 70°F/21°C until cuttings are well-rooted. After planting the liner, keep temperature up until roots have developed nicely. Afterward follow recommendations.						
The use of "Cool Morning" treatments will improve plant quality, flower and foliage color, and plant habit, and harden the plants. Lower the temperature by 8-12° F/4-6°C 2 hours before sunrise until 2-3 hours after sunrise. Start treatments after plants are rooted in, well-branched and cover the media (reach the pot edges). To avoid delayed flowering, keep the average day temperature under a close watch and if necessary, increase night temperatures. Finishing of the crop depends on the average day temperature, and positive or negative DIF methods as well as "Cool Morning" can be used to improve plant quality.						

NOTE: Growers should use the information presented here as guidelines only. Selecta recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Selecta of any products listed herein. Selecta's terms and conditions of sale shall apply to all products listed herein.


Other Capitán™ Varieties




Magnifica




Pink+Eye



Purple Frost



Purple+White



Red White Edge