

MiniFamous[®] Neo Calibrachoa

Uniform habit Large, single and double blooms Exclusive double bicolors



Fe deficiency

MiniFamous[®] Neo Light Pink+Eye Calibrachoa

General & Information								
Height:	Spread:	Exposure:						
8 - 12" (20 - 30cm)	12 - 15" (30 - 38cm)	Sun						
Rooting Guidelines								
Recommended Cell	Rooting	Average	Early PGR Treatment	Average	Pinch in		Comments:	
Size (in	Hormone (IBA	Days with	Recommended (after 7 -	Propagation	Propagat	ion:	Don't stick too deep;	
millimeters):	+ NAA mix):	Mist:	10 days): (see note 1)	Weeks:	optional		avoid overwatering of	
25 mm	optional	9 to 12	yes	4 to 5			young plants and water stress.	
Rooting & Finishing								
Media pH: (see note 2)	Fertilizer Needs: (see note 3)		Watering: (see note 4)					
5.4-5.8	200-250 PPM N/EC 2.0-2.4		keep evenly moist					
Finishing Guidelines								
Temperature	Pinch after	Light	Plant Growth Regulators	Pests and Fung	jal Co	Comments:		
Needs Day/Night: Transplant		Levels in	(PGR) $(S) = spray / (D)$	Diseases:		Start Calibrachoa warm. After side		
(see note 5)	(unpinched	Foot	drench:	Powdery Mildew,	sh	shoots have developed, cool		
70-75°F/55-60°F 21	liners):	Candles:	B-Nine 2,500-3,500 PPM (S)	Pythium, Thielaviopsis, TMV, Aphids, Fungus		temperatures and high light levels		
-24°C/13-16°C	recommended	5,000 to	Sumagic 10-20 PPM			will improve plant quality. Watch for		

 Crop Time

 4- to 5-inch (10- to 13-cm) Pots, Quarts :
 6-inch (15-cm) Pots, Gallons:
 10- to 12-inch (25- to 30-cm) Tubs or Baskets:

 7 to 8 weeks, 1 ppp
 7 to 11 weeks, 1 to 2 ppp
 9 to 12 weeks, 4 to 5 ppp

1. PGR applications during rooting:

Sprays only. Cover the plants and avoid run-off as much as possible. For vigorous products, first application should be done about 7-10 days after sticking, second when needed. Please test before use.

(S)/Sumagic 0.25 PPM (D),

Paclobutrazol 1-2 PPM (D)

Gnats, Thrips

2. Media pH:

Best results are achieved if media with the correct pH is used starting with propagation.

3. Fertilizer needs:

Start with low concentrations after roots show and increase with plant development to the recommended levels.

6.000

4. Watering

In general avoid drying out or overwatering the substrate as this will affect plant quality and finishing time. Root system will suffer when conditions change from one extreme to the other. "Growing on the dry side" means letting the substrate become dry (substrate color turns light brown and substrate starts to separate from the pot edge) before watering.

"Keep constantly moist" means watering the plants just before substrate becomes dry. Water management in rooting and finishing is half the success and the best way to prevent root-bound diseases, improve performance and control plant quality. 5. Temperature needs day/night:

During rooting keep soil temperature measured in the liner at 70°F/21°C until cuttings are well-rooted. After planting the liner, keep temperature up until roots have developed nicely. Afterward follow recommendations.

The use of "Cool Morning" treatments will improve plant quality, flower and foliage color, and plant habit, and harden the plants. Lower the temperature by 8-12° F/4-6°C 2 hours before sunrise until 2-3 hours after sunrise. Start treatments after plants are rooted in, well-branched and cover the media (reach the pot edges). To avoid delayed flowering, keep the average day temperature under a close watch and if necessary, increase night temperatures. Finishing of the crop depends on the average day temperature, and positive or negative DIF methods as well as "Cool Morning" can be used to improve plant quality.

NOTE: Growers should use the information presented here as guidelines only. Selecta recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Selecta of any products listed herein. Selecta's terms and conditions of sale shall apply to all products listed herein.

Other MiniFamous[®] Neo Varieties





Magenta Star





Red Shuffle

Double Pink







Pink Hawaii

Double Deep Yellow





Double PlumTastic

Dark Blue



Red Hawaii



Violet I ce



Double Dark Blue



Double Silver Blue

Vampire





Salmon Pink+Eye

Purple





Double Lemon





Pink



Double Amethyst











White+Yellow Eye

Deep Yellow

Blue







